


# Content

Introduction Mendel's law of Inheritance

- 1. Law of Dominance
  - Define
  - Importance
  - Example
- 2. Law of Segregation
  - Explanation
  - Example
  - 3. Law of Independent Assortment
    - Define
    - Explanation
    - Example

### INTRODUCTION

**GREGOR JOHN MENDEL was father of genetics** 




GREGOR JOHN MENDEL (1822 – 1884)

#### Mendel's law of Inheritance

- 1 Law of Dominance
- 2 Law of Segregation
- 3 Law of Independent Assortment

#### Law of Dominance -

- Define When two homozygous individual with one or more set of contrasting character are crossed, the character that appear in F1 hybrid are dominant and those do not appear In F1 are recessive character.
- Example- Height of stem



Genotype ratio: Pure tall: hybrid tall: dwarf


1 : 2 : 1

Monohybrid cross

## Law of Segregation


- Define Members of allelic pair in hybrid remain together without mixing with each other and separate or segregate during gamete formation, gamete receive only one of the two factor and are pure for a given trait. Therefore this is known as law of purity of gametes.
- Example Colour of flower

### Colour of flower -



### Law of Independent Assortment -

- Mendel's law of independent assortment stated that "when the gamete are formed the member of different pair of factor segregate quite independently of each other and all possible combination of two factor concerned will be formed among the progeny"
- Example Yellow round seed and Green wrinkled seed.



Second generation (F<sub>2</sub>)

# THANK YOU